



**Asian Granito India Ltd.**

Regd. & Corp. Office

202, Dev Arc, Opp. Iskcon Temple, S.G. Highway,  
Ahmedabad - 380 015, Gujarat, INDIA.

Phone: +91 79 66125500/698 | Fax: +91 79 66125600/66058672  
CIN: L17110GJ1995PLC027025

E-mail: [info@aglasiangranito.com](mailto:info@aglasiangranito.com) | Web: [www.aglasiangranito.com](http://www.aglasiangranito.com)

1800 123 3455  
Toll-free: Mon-Sat 10am-6pm

Follow Us:



Scan code to  
Download  
AGL Tiles App



Scan code to  
Download  
Catalogue



Scan to Find  
Exclusive  
Store

**SOLID  
DURABILITY**



ACL \ Collection \ June 2023



600x1200mm | 600x600mm | 195x1000mm | 397x397mm | 300x300mm

# ABOUT US

At AGL, we have been leading the change by continuous innovation, setting higher goals, achieving the unthinkable and creating new benchmarks. This has enabled us to clock net consolidated turnover of ₹1562 Crores (US \$190 Million) in FY22-23, making us giant in the space décor industry. In the short span of 23 years, we are one of India's largest groups, with a global footprint across 100 countries.

Today, AGL has enhance its product range from Tile to Marble, Quartz and now in Bathware as well.

The research and development center at every AGL plant is well equipped with all the latest testing methods and the products are thoroughly tested for quality before delivery. It is ensured that every product matches the highest international quality standards.



**9** **ULTRA MODERN MANUFACTURING UNITS IN INDIA**




**45 Million**  
**Sq.Mtr.**  
Production Capacity Per Annum\*\*



**Consolidated Net Turnover**  
**₹ 1562 cr.**  
**(US \$190 million)**



**1400+**  
Designs



**30+**  
Different Sizes



**12**  
Display Centres



**6000+**  
Employees\*  
\* Includes contract labour



**09 Mfg. units**



Exports in  
**100+** Countries



**Trade Network** in  
**35** States & UTs of India



**200+**  
Showrooms



**11+**  
Digital Printing Technology



**First to bring**  
world's largest 5 line kiln set up in India



**1.4 Million+**  
Facebook Followers



**6500+**  
Touch Point

\*\* including JVs

# ADVANCE TECHNOLOGIES & KEY PROCESS



**GLOBAL PRESENCE IN OVER 100 COUNTRIES**

**YOUNGEST & FASTEST GROWING TILE COMPANY IN INDIA**

**LARGEST SINGLE LOCATION PLANT IN INDIA**


**ONE OF THE TOP 4 LISTED CERAMIC TILE COMPANIES IN INDIA**



From ceramic tiles to latest Glazed Vitrified Tiles & Double Charge Vitrified Tiles; Roto Drum to New Digital Technology, AGL dominates the most diverse array of designs across the entire Tile, Marble & Quartz product range. Modernization plays a pivotal role for the company, which becomes evident from our 09 ultra modern plants across Gujarat. Spread over an area of 3,20,000 Sq. mt. these plants unfailingly produce unbeatable classy products every day. Therefore, we are proud to acquire the certifications from ISO and Green Building.

- A : Latest Press with ultra modern feeder
- B : Digital Printing Technology -13 Unit
- C : World's Widest Kiln First in India
- D : Auto check of planarity & rectangularity of tiles
- E : Continua + latest press system from Sacmi, Italy

Asian Granito India Limited has debunked the myth that leadership in design is a forte only of foreign players by achieving the position through an ideal mix of creativity and technology. It has been the champion in introducing innovative digital printing technology with a technical collaboration with SACMI, Italy. A world-class Quality Management System has enabled us to build a portfolio that is truly avant-garde.



# Awards and Recognition



*Achievements of trusted and innovative brand in the ceramic industry*

Today, AGL has been performing the best to give excellent product and services across the globe and in result, AGL has been recognized by top media houses like Readers' Digest, The Economic Times and Fortune India. AGL is certified with ISO 9001:2015 and ISO 14001:2015 for its quality management and environmental management system and also products are certified with CE standards.



AGL is now MEGA BRAND  
Latest Recognition by ARCHITECTURE + DESIGN - 2016



ET INDUSTRY LEADERS 2021



Asian Granito India Ltd. (AGL) Associate Mr. Suresh Patel receives Energy Conservation Award from the honorable President of India.



Next Fortune 500 award by Fortune India 2019



Recognised as one of the Best Brand by The Economic Times -2022



**AGL®**  
Tiles · Marble · Quartz · Bathware

## CERTIFICATION



ISO 9001:2015  
ISO 14001 : 2015

ISO 9001:2015  
ISO 14001 : 2015



Certified Two Star  
Export House




GRIHA Certified for  
Ceramic & Vitified Products

SASO Certified



Awarded for  
Brand Leadership



BIS Certification

IIID Certified




Member of  
IGBC

# MANY NATIONAL & INTERNATIONAL PROJECTS

Today AGL is the preferred brand for several National & International Projects. We are partnering several private residential projects, commercial projects, showrooms, port authorities, religious centers, and international projects. Here are selected few of them:



Project : Cleveland Cycle Werks Showroom



# Prestigious Projects

## Government Projects



## Banks



## Corporates



## Builders



## Hospital



## Automobiles



## Telecom



## Multiplexes



## Hotels



## Apparel



## Eatery Brands



and many more ...




OUR EXPERIENCE  
CENTRES

"Team AGL is making efforts to simplify product selections very nearer to you. Keeping in mind better service and easy access to AGL products, your company has opened world class display centres across various metro cities of India. These showrooms are avant-garde with contemporary product applications of Tiles, Marble, Quartz and its latest Bathware range of products. We are sure that your visit to AGL showroom definitely helps you in right product selection and leave long lasting impressions in your mind. Below are few glimpse over the showroom.




AHMEDABAD | MORBI | HIMATNAGAR | MUMBAI | BANGALURU | COCHIN | HYDERABAD | PUNE | DELHI | KOLKATA





AGL Tuffguard and Porcelain collection are the blend of creativity, trend, luxurious touch and feel, add on with safety features. It is decorated with natural textures and values to maintain very easily in daily life. It has vast applications like bathroom, living room, balcony, bedroom and lot more, wherever you want to transform spaces.



Available in modern formats like 600x1200mm, 600x600mm, 397x397mm, 195x1000mm and 300x300mm. They are manufactured using most advance technology and developed by highly experienced research team to elevate your space aesthetics to higher class. It has bunch of features like stain and skid resistant, high abrasion resistant and much more to stay impressive life long.

**TILE FEATURES**

- HIGH DURABILITY
- HYGIENIC SURFACES
- LOW WATER ABSORPTION
- NANO POLISHED
- FLOOR TILES
- FIRE RESISTANCE
- EASY TO CLEAN
- FROST RESISTANCE
- STAIN RESISTANCE
- EASY TO INSTALL
- SCRATCH RESISTANCE
- ECO FRIENDLY

**Introducing New Sizes Soon**



- 600x600mm**  
12MM Thickness
- 1200x1600mm**  
9MM Thickness
- 800x2600mm**  
15MM Thickness
- 1200x2800mm**  
6MM Thickness

**TOUGH AND RESILIENT WITH TIMELESS AESTHETIC ELEGANCE**



**MTA - Make to Available**  
This product is immediately available to order.

**MTO - Make to Order**  
This product is made on order only.




FAME BIANCO




FAME BEIGE




FAME MARFIL



JOYTONE AZUL



JOYTONE BEIGE



JOYTONE MOCHA



OPTIMA NERO



TITLIS SATVARIO



OPTIMA CREMA



OPTIMA CHOCO







**MTA**- Make to Available  
This product is immediately available to order.



**MTO**- Make to Order  
This product is made on order only.




Glossy



Wall




Floor



ZITTO GRIS




SCAN FOR VIRTUAL



ZITTO DARK




SCAN FOR VIRTUAL



ZITTO BEIGE



SCAN FOR VIRTUAL



ZITTO RUBY



SCAN FOR VIRTUAL



POLARIS CREMA



SCAN FOR VIRTUAL



MTO



POLARIS GRIS



SCAN FOR VIRTUAL



MTO



POLARIS STONA



SCAN FOR VIRTUAL



MTO



PLEMC 2018



SCAN FOR VIRTUAL



MTO



PARISIA PINE WOOD



SCAN FOR VIRTUAL



PARISIA BRIGHT WOOD



SCAN FOR VIRTUAL



PARISIA WENGE WOOD



SCAN FOR VIRTUAL



SILVER MAHOGANY MARRON



SCAN FOR VIRTUAL



MTO





MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Glossy

Wall

Floor

NEW




INSIGNIA GRIS



SCAN FOR VIRTUAL

NEW



INSIGNIA BROWN



SCAN FOR VIRTUAL

NEW



INSIGNIA ARTE DECOR



SCAN FOR VIRTUAL

NEW



INSIGNIA STYLE DECOR



SCAN FOR VIRTUAL

NEW



INSIGNIA FLORA DECOR



SCAN FOR VIRTUAL

NEW



INSIGNIA PETAL DECOR



SCAN FOR VIRTUAL

MATT



GLACIER WHITE CARVING



SCAN FOR VIRTUAL



MTA



GOLDEN MARBELLO



SCAN FOR VIRTUAL



MTO

NEW



ARCHIDI FUSION



SCAN FOR VIRTUAL

NEW



ARCHIDI PINE



SCAN FOR VIRTUAL

NEW



ARCHIDI TIMBER



SCAN FOR VIRTUAL

NEW



ARCHIDI WENGE



SCAN FOR VIRTUAL

MATT CARVING



BLAZON BROWN DECOR



SCAN FOR VIRTUAL



MTA

MATT CARVING



BLAZON GRIGIO DECOR



SCAN FOR VIRTUAL



MTA

MATT



BLAZON BROWN



SCAN FOR VIRTUAL



MTA

MATT



BLAZON GRIGIO



SCAN FOR VIRTUAL



MTA



FANTASIA CREMA




FANTASIA BEIGE



FANTASIA CHOCO



FANTASIA COTTO



FANTASIA WHITE



FANTASIA RUBY



VELVETTE DECOR



FANTASIA GRIS



FANTASIA NERO



FANTASIA SKY



FANTASIA BLUE



PLATINUM TRAVERTINO





GOLDEN TRAVERTINO





**MTA - Make to Available**  
This product is immediately available to order.

**MTO - Make to Order**  
This product is made on order only.



RAY CHOCO



SCAN FOR VIRTUAL



GLEAM BEIGE



SCAN FOR VIRTUAL



RICHIE BIANCO



SCAN FOR VIRTUAL



RICHIE GREY



SCAN FOR VIRTUAL



RICHIE CREMA




SCAN FOR VIRTUAL



RICHIE BROWN




SCAN FOR VIRTUAL



PLEMC 3014



SCAN FOR VIRTUAL



PLEMC 3013




SCAN FOR VIRTUAL



SOFTONE SILVER




SCAN FOR VIRTUAL



SOFTONE MOCA




SCAN FOR VIRTUAL



SOFTONE BROWN



SCAN FOR VIRTUAL



SOFTONE FUSION DECOR



SCAN FOR VIRTUAL



VANISH CREMA



SCAN FOR VIRTUAL



VANISH GREY



SCAN FOR VIRTUAL



VANISH NERO



SCAN FOR VIRTUAL



ELEGANTE MARMO




ICONIC MARBLE



INFINIA SATVARIO



MONTE CRISTO



LUXURIA LIGHT



LUXURIA BRUNO



MYRIAD BLUE



MYRIAD OLIVE



PLEMC 3068



PLEMC 3071



PLEMC 3073



PLEMC 3074



PLEMC 3032



PLEMC 3043



PLEMC 3008



PLEMC 3086





**ALL-IN-ONE LUXURY**  
WALL & FLOOR  
600x1200mm  
CARVING FINISH

NEW



NOVA WOOD PINE




NEW



NOVA WOOD GOLD



NEW



NOVA WOOD BROWN




NEW



PLEMC 3107



EXPERIENCE **HIGH ABRASION**  
RESISTANT TILES 600x600mm




FEEL FREE TO LIVE ON 99%  
**ANTIBACTERIAL FLOOR TILES**



#protected surfaces 600X600 mm


- 99% ANTIBACTERIAL TILE
- 24X7 ACTIVE
- ANTI-SKID WALK FREELY
- ECO FRIENDLY
- HIGH ABRASION RESISTANT
- JIS Z 2801 : 2012 STANDARD QUALITY
- CHEMICAL & ALKALINE RESISTANT
- SILVER ION BASED GLAZING



TAB SWITZ IVORY



TAB COLOR CEMENTO




TAB COLOR KOTA



TAB SWITZ WHITE



TAB COLOR GRIS




TAB COLOR BLUE




Live **Safe**  
Stay **Safe**




STARTEK BIANCO



STARTEK NERO



STARTEK NERO DECOR



SUPERIO CREMA



SUPERIO TAN



SUPERIO TAN DECOR



AVON GRIS




AVON GRIGIO



AVON GRIGIO DECOR




SUPERIO GRIS



SUPERIO NERO



SUPERIO GRIS DECOR



DRIFT GRIS



DRIFT GRIGIO



DRIFT GRIS DECOR



HARMONY BEIGE




HARMONY SAND



HARMONY BEIGE DECOR




CAMBRIC CREMA



CAMBRIC SANDLE



CAMBRIC CREMA DECOR



HARMONY GREY



HARMONY BLACK



HARMONY GREY DECOR








CALCATTÀ NATURAL



URBAN ROYAL GRIGIO



CALCATTÀ NATURAL DECOR




ARTFLOR GRIS DECOR



ARTFLOR BEIGE DECOR



LINIOR CREMA DECOR



AZULATE AQUA



AZULATE BLUE



AZULATE BLUE ART



ARTFLOR GRIS



ARTFLOR BEIGE




LINIOR CREMA



FLASHY BIANCO



FLASHY GREY




FLASHY GREY DECOR



ATRIUM GRIS DECOR



ATRIUM SLATE DECOR



LINIOR GRIS DECOR



BIG TERRAZZO BIANCO



BIG TERRAZZO CREMA



TERRAZZO MINI BIANCO



ATRIUM GRIS



ATRIUM SLATE



LINIOR GRIS

**NEW**



Click for 360° view 

 MTA

SCAN FOR VIRTUAL 

MODERN SATUARIO



Click for 360° view 

 MTA

SCAN FOR VIRTUAL 

SOFIA MARBLE



Click for 360° view 


 MTA

SCAN FOR VIRTUAL 

SWITZ WHITE

**NEW**




Click for 360° view 


 MTO


SCAN FOR VIRTUAL 


ZESTA BIANCO

**NEW**



Click for 360° view 

 MTO

SCAN FOR VIRTUAL 

ZESTA NERO

**NEW**




Click for 360° view 


 MTO


SCAN FOR VIRTUAL 


ZESTA GRIGIO

**NEW**



Click for 360° view 

 MTO

SCAN FOR VIRTUAL 

ELECTO WHITE DECOR-1

**NEW**





Click for 360° view 


 MTO


SCAN FOR VIRTUAL 

ELECTO WHITE



Click for 360° view 

 MTO

SCAN FOR VIRTUAL 

SWITZ IVORY

**NEW**



Click for 360° view 

 MTO

SCAN FOR VIRTUAL 

RELISH CREMA

**NEW**




Click for 360° view 


 MTO

SCAN FOR VIRTUAL 

RELISH BROWN



Click for 360° view 

 MTA

SCAN FOR VIRTUAL 

ITALIO BEIGE



Click for 360° view 

 MTA

SCAN FOR VIRTUAL 

GLIMMER BEIGE




Click for 360° view 


 MTO


SCAN FOR VIRTUAL 


GILT CREMA

**NEW**



Click for 360° view 

 MTO

SCAN FOR VIRTUAL 

VIBES BEIGE

**NEW**



Click for 360° view 

 MTO

SCAN FOR VIRTUAL 

STELE BIANCO



Click for 360° view 

 MTO

SCAN FOR VIRTUAL 

MARQUINA TUFF BROWN



Click for 360° view 

 MTO

SCAN FOR VIRTUAL 

TRAVERTIMA BEIGE



Click for 360° view 

 MTO

SCAN FOR VIRTUAL 

GRAVA BEIGE



Click for 360° view 

 MTO

SCAN FOR VIRTUAL 

GILT SAND

**NEW**



Click for 360° view 

 MTO

SCAN FOR VIRTUAL 

VIBES BROWN

**NEW**





Click for 360° view 


 MTO


SCAN FOR VIRTUAL 

STELE CREMA



Click for 360° view 

 MTO

SCAN FOR VIRTUAL 

MARQUINA TUFF NERO



PREMIO CREMA



PREMIO MUSHROOM



PREMIO GRIS




UNICO AQUA



UNICO AZUL



UNICO CREMA



PREMIO GRIGIO



PREMIO CHOCO



PREMIO MOCHA



UNICO BEIGE



UNICO CHOCO



UNICO NERO



PREMIO MAPLE



PREMIO COTTO




PREMIO SLATE



UNICO BROWN




SIERRA CREMA



SIERRA BROWN



PREMIO VERDE



CITYART BIANCO



CITYART GREY



SANDSTONE BEIGE



SANDSTONE GOLD




SANDSTONE GREY





AZULATO CREMA




TRAPO LIGHT



ANGEL LIGHT



BROCADE MATTE











TRAPO DARK




ANGEL DARK



 **MTA - Make to Available** This product is immediately available to order.  **MTO - Make to Order** This product is made on order only.

-  Matt Finish
-  Floor Tiles
-  4-6% Water Absorption
-  Scratch Resistant
-  Abrasion Resistant
-  Satin Resistant
-  Anti skid Surface




ZIGZIG PINE




FORESTA CHOCO



COCOA WENGE



ZIGZIG WENGE




FORESTA WENGE




HERITAGE BROWN




GREENHEART ALMOND




GREENHEART BROWN




GREENHEART WENGE




BOZELLO BROWN




BOZELLO ART DECOR



PRESTIGE OAK



NEOSTICK GRIS DECOR




NEOSTICK BEIGE DECOR



CHISEL WOOD DECOR



KORIANA GRIS




KORIANA BROWN



HAMILTON WOOD



NEOSTICK GRIS



NEOSTICK BEIGE




CHISEL WOOD



KENWOOD MAPLE



KENWOOD BROWN



CADIZ WALNUT



WOODTRIC BEIGE



WOODTRIC CREMA



NOVA BLUE WOOD



CHEVRON APPLE



CHEVRON ALPINE



CHEVRON OAK



TAVOLA MAPLE



TAVOLA OAK



TAVOLA CHOCO



BOSCHI BROWN




BOULDER DECOR



WOOD FUSION



HORIZON NERO DECOR




HORIZON BROWN DECOR



FLORIMA BEIGE DECOR



KETHRON WOOD



SUPREMO WOOD




RAFTER WOOD



MUSIC WOOD




DREAM WOOD



MADERA ART



ALASKA WOOD



RHYTHM 11



LAMINATO DECOR



STRIP WOOD



MAHAGONY WOOD




WINDSOR BROWN DECOR



MT\_10012



MATRIX WOOD



PARETE WOOD



AQUART WOOD



ALMONDI WOOD



MONTE MAPLE



MONTE BEIGE




BALSAM BROWN



HARLEY BRIGHT



HARLEY CLOUDY



HARLEY GRIGIO



HARLEY BEIGE



HARLEY BROWN



ACCURA CREMA



ESPERIO BIANCO



ESPERIO BEIGE



ACCURA BEIGE



ESPERIO GRIGIO



ESPERIO BROWN



STONZA BRIGHT



RICHIE MAPLE



RICHIE WENGE



ASCOLI WENGE DECOR



STONZA SUNNY



ANTONE WOOD BROWN



MOLTAN CREMA



**HD GLISTER** 600x600mm

**MTA - Make to Available**  
This product is immediately available to order. **MTO - Make to Order**  
This product is made on order only.



GLISTER BM 6093



GLISTER BM 6096



GLISTER BM 6074




GLISTER BM 6065



GLISTER 6001



GLISTER 6085



GLISTER 6103



GLISTER 6106



GLISTER 6089



GLISTER 6090



GLISTER 6002



GLISTER 6080



GLISTER 6081



GLISTER 6012



GLISTER 6044




GLISTER 6112



GLISTER 6087



GLISTER 6084



GLISTER 6123



GLISTER 6013



GLISTER 6034



GLISTER 6028



GLISTER 6114



GLISTER 6101



GLISTER 6102



GLISTER 6037



GLISTER 6038



GLISTER 6068



**HD GLISTER** 600x600mm




GLISTER BM 6127




GLISTER BM 6128



GLISTER BM 6129



GLISTER 6130




GLISTER 6131




GLISTER 6132



GLISTER 6133



GLISTER 6134



GLISTER 6135


**MTA** - Make to Available  
This product is immediately available to order.

**MTO** - Make to Order  
This product is made on order only.

Glossy  
 Floor



GLISTER 6136



GLISTER 6137




GLISTER 6138




GLISTER 6139



GLISTER 6140



GLISTER 6141




GLISTER 6142




GLISTER 6143




GLISTER 6144



GLISTER 6145



GLISTER 6146



GLISTER 6147


**HD GLISTER** 600x600mm



GLISTER 6148




GLISTER 6149




GLISTER 6150



GLISTER 6151



GLISTER 6152




GLISTER 6153



GLISTER 6154



GLISTER 6155



GLISTER 6156



GLISTER 6157



GLISTER 6158



GLISTER 6159

**MTA** - Make to Available  
This product is immediately available to order. **MTO** - Make to Order  
This product is made on order only.



GLISTER 6160



GLISTER 6161



**NEW**  
  
  
  
  
PIANTE NUTMEGA WOOD

**NEW**  
  
  
  
  
PIANTE JACKPINE GRIS

**NEW**  
  
  
  
  
PIANTE AMAZE NATURALE

**NEW**  
  
  
  
  
PIANTE ALMOND FINESA

**NEW**  
  
  
  
  
PIANTE MILON WOOD

**NEW**  
  
  
  
  
PIANTE NIRMAN WOOD

**NEW**  
  
  
  
  
PIANTE FORESTO WOOD

**NEW**  
  
  
  
  
PIANTE APE WOOD

**NEW**  
  
  
  
  
PIANTE SANDERS WOOD

**NEW**  
  
  
  
  
PIANTE TEAKO NATURAL

**NEW**  
  
  
  
  
PIANTE SHINWOOD NATURAL

**NEW**  
  
  
  
  
PIANTE VEGA WOOD

**NEW**  
  
  
  
  
PIANTE NORWAY WOOD

**NEW**  
  
  
  
  
PIANTE CONTORTA NERO

**NEW**  
  
  
  
  
PIANTE CHERISH WOOD

**NEW**  
  
  
  
  
PIANTE CRISTO WOOD



*natural*  
**Wooden Planks** 195x1000mm



PIANTE WENGE



PIANTE ALMOND



PIANTE NATURAL



PIANTE RICHWOOD



PIANTE HONEY



PIANTE TEAK



PIANTE REDWOOD



PIANTE MOCHA

**MTA** - Make to Available  
This product is immediately available to order. **MTO** - Make to Order  
This product is made on order only.

Matt Finish  
 Floor Tiles  
 Satin Resistant  
 Anti skid Surface



PIANTE CLOVE



PIANTE CHOCO




PIANTE TRAVENTINO GRIS




PIANTE TRAVENTINO BEIGE







5031




5051




5055




5063




5054



5055



5031



5063



5054




5031




5063




5054



5031



5063




5054

300x300mm

**MTA- Make to Available** This product is immediately available to order. **MTO- Make to Order** This product is made on order only.


Matt Finish Floor Tiles



5031



5051




5055



5063



5054




5055




5031




5063



5054



5031




5063




5054



5031



5063



5054





600x1200mm HI-TECH TUFF GUARD DIGITAL TILES

CHARACTERISTICS	Requirement as per ISO 13006:2018 0.5% < E ≤ 3.0 Group Blb	Requirement as per IS 15622:2017 0.08% < E ≤ 3.0 Group Blb	MEAN VALUE OF AGL	METHOD OF TESTING
<b>Regulatory Properties</b>				
Deviation In Length & Width	± 0.3%	± 0.1%	± 0.1%	ISO 10545-2 IS13630 -1
Deviation In Thickness	± 5.0%	± 5%	± 4.0%	
Straightness of Edge	± 0.3%	± 0.1%	± 0.1%	
Rectangularity	± 0.3%	± 0.1%	± 0.1%	
Surface Flatness	± 0.4%	± 0.5%	± 0.2%	
Surface Quality	Minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles	Minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles	Minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles	
<b>Physical &amp; Thermal Properties</b>				
Water Absorption % by Wt.	0.5% < E ≤ 3.0%, Individual Max 3.3%	Average 0.08% < E ≤ 3.0%, Individual 3.3% Max	< 3.0%	ISO 10545-3 IS13630-2
MOR in N/mm2	Min 30, Individual Min. 27	Average 30, Ind Min. 27	Avg 32	ISO 10545-4 IS13630-6
Breaking Strength in N	1100 Min for thickness ≥ 7.5mm	1100 Min for thickness ≥ 7.5mm	> 1300	ISO 10545-4 IS13630-6
Bulk Density (gm/cc)	2.0 Min	2.0 Min	2.2	ISO 10545-3 IS13630-2
Resistance to Surface abrasion	Report abrasion class and cycles passed	Class II, Min	Class III, Min	ISO 10545-7 IS13630-11
Mohs Scratch Hardness	N/A	Min. 5	Min. 5	IS13630-13
Co-efficient of Linear thermal expansion from ambient temp to 1000 C (K-1)	Test method available	7x10 <sup>-6</sup> Max	Max 6x10 <sup>-6</sup>	ISO 10545-8 IS13630-4
Thermal Shock Resistance	Test method available	10 Cycle Min	10 Cycle Min	ISO 10545-9 IS13630-5
Moisture Expansion in mm/M	Test method available	0.02 Max	NIL	ISO 10545-10 IS13630-3
Crazing Resistance	Required	4 Cycles at 7.5 Bar, Min	6 Cycle	ISO 10545-11 IS13630-9
Impact Resistance	Test method available	0.55, Min	> 0.55	ISO 10545-5 IS13630-14
Frost Resistance	Required	Required, if agreed to between manufacturer and purchaser	Frost Proof	ISO 10545-12 IS13630-10
<b>Chemical Properties</b>				
Resistance to Staining of Glazed Tiles	Min. Class 3	Class 1, Min.	Class 1	ISO 10545-14 IS13630-8
Resistance to Household and Swimming Pool Chemicals	Minimum B	Min. Class AA	Class AA	ISO 10545-13 IS13630-8
Resistance to Acid & Alkalis (Except HF Acid)	Manufacturer is to State Classification	Class AA	Class AA	ISO 10545-13 IS13630-8

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Set	Area Sq. mtr./ Box
600x1200mm	8.5mm	27.0 kgs.	2 pcs.	1.44m <sup>2</sup>



CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr B1la 3.0 ≤ E ≤ 6.0%	Requirement as per IS 15622:2017 Gr B1la 3.0 ≤ E ≤ 6.0%	AGL Value	Test Method
<b>(A) DIMENSION &amp; SURFACE QUALITY</b>				
Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
<b>(B) PHYSICAL &amp; THERMAL PROPERTIES</b>				
Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0, Ind. 6.5 Max.	3.0 ≤ Eb ≤ 6.0 Ind. 6.2 Max.	4.0-5.5%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 22, Ind. Min. 20	Avr.22, Ind. Min. 20	≥ 27 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1000 N Min.	1000 N Min.	> 1200 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	PEI III (Glossy) PEI IV & IV*(Matt)	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K-1)	9x10 <sup>-6</sup> Max.	9x10 <sup>-6</sup> Max.	≤ 9x10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.03 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 5	EN 101 IS 13630 Part-13
<b>(C) CHEMICAL PROPERTIES</b>				
Resistance To Household Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
600x600 ( Tuff Guard& Anti Bacterial)	9.5 mm	27.7 kg.	04 pcs.	1.44m <sup>2</sup>
195x1000mm ( Natural Wooden Planks)	9.3 mm	18.5 kg.	05 pcs.	0.975m <sup>2</sup>

# HD GLISTER

CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr B1b 0.5% ≤ E ≤ 3.0%	Requirement as per IS 15622:2017 Gr B1b 0.08% ≤ E ≤ 3.0	AGL Value	Test Method
<b>(A) DIMENSION &amp; SURFACE QUALITY</b>				
Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
Glossiness*	-	-	> 85	Glossmeter
<b>(B) PHYSICAL &amp; THERMAL PROPERTIES</b>				
Water Absorption % By Wt.	0.5 ≤ E ≤ 3.0 %	0.08 ≤ E ≤ 3.0 %	1.0-2.0%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 30, Ind. Min. 27	Avr. 30, Ind. Min. 27	≥ 32 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1100 N Min.	1100 N Min.	> 1200 N	ISO 10545 Part-4 IS 13630 Part-6
Bulk Density (gm/cc)	2.0 Min.	2.0 Min.	≥ 2.1	ISO 10545 Part-3 IS 13630 Part-2
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	Min. PEIII	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K-1)	9x10 <sup>-6</sup> Max.	7x10 <sup>-6</sup> Max.	≤ 6x10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.02 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Craze Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 5	≤ 5	EN 101 IS 13630 Part-13
<b>(C) CHEMICAL PROPERTIES</b>				
Resistance To Household Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Resistance	ISO 10545 Part-14 IS 13630 Part-8

\* PPT Finish

## Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
600x600mm	8.2 mm	26.5 kg.	04 pcs.	1.44m <sup>2</sup>

# Ceramic | UNRECTIFIED

FLOOR TILES

CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr B1a 3.0 ≤ E ≤ 6.0%	Requirement as per IS 15622:2017 Gr B1a 3.0 ≤ E ≤ 6.0%	AGL Value	Test Method
<b>(A) DIMENSION &amp; SURFACE QUALITY</b>				
Deviation In Length & Width	± 0.6%, ± 2.0 mm	± 0.4%	± 0.4%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.5%, ± 1.5 mm	± 0.3%	± 0.3%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.5%, ± 2.0 mm	± 0.3%	± 0.3%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.5%, ± 2.0 mm	± 0.5%	± 0.4%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
<b>(B) PHYSICAL &amp; THERMAL PROPERTIES</b>				
Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0, Ind. 6.5 Max.	3.0 ≤ Eb ≤ 6.0 Ind. 6.2 Max.	5.0-6.0%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 22, Ind. Min. 20	Avr. 22, Ind. Min. 20	≥ 25 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	600 N Min.	600 N Min.	> 800 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	Min. III	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K-1)	9x10 <sup>-6</sup> Max.	9x10 <sup>-6</sup> Max.	≤ 9x10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.03 Max.	0.02 Max.	ISO 10545 Part-10 IS 13630 Part-3
Craze Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 4	EN 101 IS 13630 Part-13
<b>(C) CHEMICAL PROPERTIES</b>				
Resistance To Household Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

\*\*Not Applicable for structured Tiles

## Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
300x300mm (Unrectified)	7.2 mm	13.1 kg.	10 pcs.	0.90m <sup>2</sup>

# Ceramic

FLOOR TILES


CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr BIIa 3.0 ≤ E ≤ 6.0%	Requirement as per IS 15622:2017 Gr BIIa 3.0 ≤ E ≤ 6.0%	AGL Value	Test Method
<b>(A) DIMENSION &amp; SURFACE QUALITY</b>				
Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.25%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
<b>(B) PHYSICAL &amp; THERMAL PROPERTIES</b>				
Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0, Ind. 6.5 Max.	3.0 ≤ Eb ≤ 6.0 Ind. 6.2 Max.	5.0-6.0%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 22, Ind. Min. 20	Avr.22, Ind. Min. 20	≥ 25 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1000 N Min.	1000 N Min.	> 1000 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	Min. III	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K <sup>-1</sup> )	9x10 <sup>-6</sup> Max.	9x10 <sup>-6</sup> Max.	≤ 9x10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.03 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 4	EN 101 IS 13630 Part-13
<b>(C) CHEMICAL PROPERTIES</b>				
Resistance To Household Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

\*\*Not Applicable for structured Tiles

## Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
397x397mm	8.2 mm	13.1 kg.	05 pcs.	0.79m <sup>2</sup>
397x397mm	8.2 mm	13.7 kg.	06 pcs.	0.94m <sup>2</sup>

### UNDERSTANDING ICONS



### APPLICATION



### NOTES

- All Technical Specifications in This Catalogue are for Premium Grade Material only.
  - SHADE/SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations which are part of design & process. The same have been indicated.
  - It is recommended to blend tiles by mixing tiles from various boxes & check for natural hue before fixing the tiles.
  - It is recommended to check the tiles before laying/fixing. Quality standards cover 1st/Premium Quality only.
  - Company's liability is limited on material that has not been laid.
  - NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY FIXED/LAID.
  - The liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
  - No complaint is entertained on decoration done on tiles, other than the ones done by Asian Granito India Ltd.
- GENERAL NOTE : Any complaint must be brought to the company's notice within 10 days of purchase & before fixing of tiles.

#### How to avoid defects & complaints :

- Use good quality Tiles
- Choose good quality Tiles, with proper consideration to area intended of usage.
- Avoid careless laying of Tiles
- Avoid poor maintenance-for instance, by cleaning with strong Chemicals or with abrasive equipment e.g. metallic scrubber
- Always keep Tiled area clean & ensure dusting/mopping regularly
- Put Doormats/Foot-mats at all strategic locations to avoid loose debris/dust from entering the Tiled area

#### List of Detergents For Removal of Stain

STAIN (Created By)	Beer	Blood	Calcar	Cement	Cigarette	Soft Drinks	Coffee	Edible Oil	Glue	Ice Cream	Ink	Juices	Marker Ink	Nicotine	Paints	Resin	Rust	Tar	Tea	Turmeric	Wine
SOLVENTS (Turpentine, acetone, trichloroety - line etc.)								•	•		•		•			•		•			
SODIUM HYPO (Chlorite (NaOCL))												•								•	
ACIDS DILUTED (Hydrochloric acid*)			•	•	•						•			•	•		•			•	
ALKALI (Sodium hydroxide/potassium hydroxide)	•	•				•	•			•											•

\*Commercial grade shall not be used

DISCLAIMER : Asian Granito India Ltd. reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow instructions to avoid complaint due to bad masonry.



AGL'S BIGGEST LUXURY TILE ARCADE AHMEDABAD

**GUJARAT**

**ASIAN GRANITO INDIA LTD.**  
**Corp. Office:**  
 202, Dev Arc, Opp. Iskcon Temple,  
 S. G. Highway, Ahmedabad - 380 015  
 Gujarat (INDIA)  
 Phone: +91 79 66125500/698  
 Toll Free : 1800 123 3455  
 E-mail: info@aglasiangranito.com

**AGL Luxury Tile Arcade - Ahmedabad (Display Centre)**  
 S.G. Highway, Nr. Gota Cross Road,  
 Beside Gota over bridge,  
 Ahmedabad - 382481.  
 Phone: 079 - 66125700/01  
 Mobile: 98258 03713

**AGL Experience centre - Himmatnagar**  
 C/o. Amazoone Ceramics Ltd.  
 Nr. IOC Petrol Pump, Himmatnagar To -  
 Ahmedabad National Highway,  
 Dalpur, Ta - Prantij,  
 Mobile : 90999 04706

**AGL Office - Morbi**  
 B - 26, Parshwanath Complex-1  
 Opp. kuber Cinema, 8-A National Highway,  
 Lalpar Road Morbi (Gujarat)

**AGL Export House - Morbi**  
 Ch-5, Eden Ceramic City,  
 Opp.Honest Hotel National Highway,  
 Lalpar Road Morbi - 363642.  
 Mobile : 99799 90591

**RAJASTHAN**

**AGL Office - Jaipur**  
 Lower Ground  
 D-5, Vaishali Nagar,  
 Jaipur, Rajasthan - 302021  
 Mobile : 88240 74454

**MAHARASHTRA**

**AGL Display Centre - Mumbai**  
 A- 402, Citi Point, Nr. kohinoor Hotel,  
 Opp. ICICI Bank, J.B. Nagar,  
 Andheri (East), Mumbai - 400 059.  
 Phone: 022-32942757 / 58  
 Mobile: 93214 95229

**AGL Display Center - Pune**  
 1st & 2nd floor, Plot No.5, Gultekdi,  
 Industrial Estate, Mukund Nagar,  
 Opp. Maharashtra Mandal, Pune - 411037  
 Mobile : 93717 65505

**MADHYA PRADESH**

**AGL Office - Indore**  
 Plot No 101 WB Scheme No. 94,  
 Sector - B Opp. HDFC Bank,  
 Near Bombay Hospital, Indore -452010  
 Mobile: 97555 43250

**KARNATAKA**

**AGL Display Centre - Bangalore**  
 Brahmananda Court, No.37/17/8/ 37/18,  
 Nr. ICIC Bank, Lalbagh Road,  
 Bangalore - 560027  
 Mobile: 77609 66442

**TAMIL NADU**

**AGL Office - Trichy**  
 Mark Diamond Residency,  
 No-36 V O C Road, cantonment.  
 Trichy - 620001  
 Mobile: 91764 66625

**AGL Office - Coimbatore**  
 No .70, Dr. Alagappa Road, Tatabad.  
 Coimbatore - 641 012  
 Mobile: 95000 15083

**ANDRA PRADESH**

**AGL Display Centre - Hyderabad**  
 # 8-2-293/82,Plot No. 39, Road No. 5,  
 JubileeHills ,Hyderabad.-500033.  
 Land Mark, Near Venkatagiri Bustop.  
 (Dominos Pizza) Metro Piller No: 3  
 Hyderabad-500033  
 Mobile: 96420 11146

**KERALA**

**AGL Display Centre - Kochin**  
 No.51/2910 D2 Adjacent To Bread World,  
 Thykoodam Bridge Service Road,  
 Vyttila Kochin - 682019  
 Mobile: 80866 61920

**WEST BENGAL**

**AGL Display Centre - Kolkata**  
 5th Floor, Office No, 5A,  
 PS SOLARIS Building, 113/H,  
 Opp. Flaming Hospital.  
 Matheswartala Road. Topsia.  
 Kolkata 7000046.  
 Mobile: 85840 65565

**ODISHA**

**AGL Office - Odisha**  
 Plot No-83/c,  
 Jayadurga Nagar Bomikhal,  
 Bomikhal, Cuttack-Puri Road  
 Bhubaneswar-751006  
 Mobile: 8249350324 / 9338353733

**UTTAR PRADESH**

**AGL Display Centre - Noida**  
 F-15, Ground Floor, Pados Building,  
 Sector 8, Noida - 201301  
 Uttar Pradesh  
 Mobile: 8511130500

**PUNJAB**

**AGL Office - Chandigarh**  
 CCC Chandighar City Center  
 Block A 3rd Floor Soho 325  
 Vip Road, Near Metro Zirakpur  
 Chandigarh Punjab-140603  
 Phone: 0176-2526420

■ Office only ■ Display Centre & Office